



SCOVILLE  
**C-SI-4790**  
spreading 150 mm




SCOVILLE  
**C-SI-4790**  
spreading 150 mm

frame only, with joint

## Retractors

12



SCOVILLE

**C-SI-4792** 50 mm  
**C-SI-4793** 70 mm  
Hooks, blunt

SCOVILLE

**C-SI-4794** 50 mm  
**C-SI-4795** 70 mm  
Hooks, sharp



SCOVILLE

**C-SI-4796** 60 x 25 mm  
**C-SI-4797** 64 x 50 mm  
88 x 25 mm  
**C-SI-4798**  
Blades, toothed



TAYLOR

**C-SI-4799** 48 x 50 mm  
**C-SI-4800** 64 x 50 mm  
**C-SI-4801** 64 x 64 mm  
**C-SI-4802** 80 x 57 mm  
Hooks, sharp



SCOVILLE

**C-SI-4803** 41 x 38 mm  
**C-SI-4804** 67 x 44 mm  
Hooks, sharp



**TUFFIER**  
**C-SI-4805** = 200 x 12 mm  
**C-SI-4806** = 200 x 17 mm  
**C-SI-4807** = 250 x 25 mm  
flexible



**HABERER**  
**C-SI-4808** = 20 cm / 8", 17/25 mm  
**C-SI-4809** = 28 cm / 11", 17/25 mm  
**C-SI-4810** = 30 cm / 12", 37/45 mm  
flexible



**C-SI-4811** = 30 mm  
**C-SI-4812** = 40 mm  
**C-SI-4813** = 50 mm  
33 cm / 13" flexible




**REVERDIN**  
**C-SI-4814**  
28 cm / 11"




## Probes

14




cm	in.	1 mm Ø	1,5 mm Ø	2 mm Ø	2 mm Ø
10,5	4"			C-SI-4827	
11,5	4 1/2"	<b>C-SI-4815</b>		<b>C-SI-4828</b>	
13,0	5"	<b>C-SI-4816</b>	<b>C-SI-4821</b>	<b>C-SI-4829</b>	<b>C-SI-4836</b>
14,5	5 3/4"	<b>A-SI-4817</b>	<b>C-SI-4822</b>	<b>C-SI-4830</b>	<b>C-SI-4837</b>
16,0	6 1/4"	<b>C-SI-4818</b>	<b>C-SI-4823</b>	<b>C-SI-4831</b>	<b>C-SI-4838</b>
18,0	7"	<b>C-SI-4819</b>	<b>C-SI-4824</b>	<b>C-SI-4832</b>	
20,0	8"	<b>A-SI-4820</b>	<b>C-SI-4825</b>	<b>C-SI-4833</b>	
25,0	10"		<b>C-SI-4826</b>	<b>C-SI-4834</b>	
30,0	12"			<b>C-SI-4835</b>	



silver

cm	in.	2 mm Ø	STACKE
10,5	4"		<b>C-SI-4839</b>
11,5	4 1/2"		<b>C-SI-4840</b>
13,0	5"	<b>C-SI-4842</b>	<b>C-SI-4841</b>
14,5	5 3/4"	<b>C-SI-4843</b>	
16,0	6 1/4"	<b>C-SI-4845</b>	<b>C-SI-4844</b>



Probes, Vein Stripper



cm	in.			
11,5	4 1/2"	C-SI-4846		
13,0	5"	C-SI-4847	C-SI-4852	C-SI-4859
14,5	5 3/4"	C-SI-4848	C-SI-4853	C-SI-4860
16,0	6 1/4"	C-SI-4849	C-SI-4854	C-SI-4857
18,0	7"	C-SI-4850	C-SI-4855	C-SI-4858
20,0	8"	A-SI-4851	A-SI-4856	C-SI-4862

